

Raychem®

CeraPro

The robust solution for
professional under tile heating



tyco

Thermal Controls



CeraPro under tile heating is the ideal way to add value and luxury to the home.



The heating system comprises the very highest grade fluoropolymer heating cable to provide robustness and safety during installation.

CeraPro is significantly more resilient than standard grade PVC alternative heating cables and this provides peace of mind for the home owner after installation.

- Robust.
- Ultra thin for no additional floor height (3mm).
- Output variable depending on heat requirement.
- Exceeds the highest IEC standards for electrical heating cables. (IEC60800)
- The professional solution for tiled bathrooms, kitchens and conservatories.






CeraPro

Easy-to-install !

Installation method

CeraPro is quick and easy to install following the following steps:

- 1 Clean the surface of dust and dirt.
- 2 Prime the floor.
- 3 Mark floor with cable spacing.
- 4 Place double-sided tape to easily position cable.
- 5 Affix CeraPro to the double sided tape at the desired spacing.
- 6 Affix CeraPro firmly in place by installing the adhesive mesh.
- 7 Install the tiled floor.



Product overview:

Product name	Article N°	Heating cable length (m)	For free floor area	Price (excl. VAT)
CeraPro-240W	1244-008550	21.5	1.5 – 2.5 m ²	£87.00
CeraPro-320W	1244-008551	28.5	2.0 – 3.0 m ²	£94.00
CeraPro-400W	1244-008552	36.0	2.5 – 4.0 m ²	£109.00
CeraPro-635W	1244-008553	57.0	4.0 – 6.0 m ²	£160.00
CeraPro-800W	1244-008554	72.0	5.0 – 7.5 m ²	£208.00
CeraPro-1140W	1244-008555	100.0	7.5 – 11.0m ²	£299.00

Product is complete with:

- Ultra thin (3mm), dual-wire heating cable, with 2.5m power connection cable.
- "Easy-Roll" spooling straight from the box
- CeraPro "Tape 'n' Mesh" fixing solution
- Pull-out cable spacing guide and measure
- Complete installation instructions and commissioning report

Associated products:

Product name	Article N°	Description	Price (excl. VAT)
Raychem Isolecta	1244-008402	4 insulation boards (1180 mm x 600 mm x 10 mm) for 2,85m ² ; thickness 10 mm	£69.95
Raychem TA	1244-0025 12	Thermostat with floor and ambient sensor	£66.00
Raychem TC	1244-0025 13	Timer thermostat with floor and ambient sensor	£81.00